

**Physician Signature:

ACTEMRA (TOCILIZUMAB) INFUSION ORDERS

REQUIRED INFORMATION		
☐ This signed order form from the provider		
☐ Patient demographics & insurance information ☐ Clinical/Progress Notes, Labs, Tests supporting primary dia	agnosis	
☐ TB and Hepatitis B documentation	ŭ	
Patient Name:	DOB:	
Allergies:	Patient Phone:	
Diagnosis: □ Rheumatoid Arthritis (ICD-10 Code:)	
□ Other:(ICD-10		
J Code: J3262		
ACTEMRA ORDERS		
As the control Design Assembly the control Design and the control of the Control		
Actemra ☐ Initial Dose: 4mg/kg then ☐ Second Dose and thereafter: 8mg/kg every 4 weeks ☐ Other mg every 4 weeks		
DOSE NOT TO EXCEED 800MG		
Patient Weight:Ibs.		
Protocol: TX #1 - Obtain baseline CBC, CMP, and Fasting Lipid P TX #2 - Instruct patient to get CBC, CMP, and Fasting Li		
RA: All subsequent infusions: CBC, CMP every 3 months and Lipid Profile every 6 months PJIA: All subsequent infusions: CBC, CMP every 8 weeks and Lipid Profile every 6 months		
SJIA: All subsequent infusions: CBC, CMP every 4 weeks and Lipid Profile every 6 months		
Additional Instructions:		
Physician Name:	Phone:	Fax:
•	-	

Date: